

Qté Numéro Description Prix unit

Greenfield / Cleveland

10	CLEC01032	#71 2001 G.P. DRILL	16.40 \$	Ch
10	CLEC01048	#62 2001 G.P. DRILL	1.79 \$	Ch
10	CLEC16961	7/32 2075TC QCOBALT JOBBER	13.70 \$	Ch
38	CLEC18000	1878 1/16 HD JOBBER BLK&GOLD	0.94 \$	Ch
2	CLEC18001	1878 5/64 HD JOBBER BLK&GOLD	1.00 \$	Ch
17	CLEC18002	1878 3/32 HD JOBBER BLK&GOLD	1.02 \$	Ch
8	CLEC18004	1878 1/8 HD JOBBER BLK&GOLD	1.14 \$	Ch
23	CLEC18005	1878 9/64 HD JOBBER BLK&GOLD	1.27 \$	Ch
9	CLEC18006	1878 5/32 HD JOBBER BLK&GOLD	1.34 \$	Ch
14	CLEC18007	1878 11/64 HD JOBBER BLK&GOLD	1.47 \$	Ch
2	CLEC18008	1878 3/16 HD JOBBER BLK&GOLD 3 FLATS	1.46 \$	Ch
6	CLEC18009	1878 13/64 HD JOBBER BLK&GOLD W/FLATS	1.58 \$	Ch
3	CLEC18011	15/64 HD JOBBER BLK&GOLD	1.79 \$	Ch
10	CLEC18012	1878 1/4 HD JOBBER BLK&GOLD 3 FLATS	1.88 \$	Ch
5	CLEC18015	1878 19/64 HD JOBBER BLK&GOLD 3 FLATS	2.68 \$	Ch
12	CLEC18017	1878 21/64 HD JOBBER BLK&GOLD 3 FLATS	2.96 \$	Ch
10	CLEC18019	23/64 HD JOBBER BLK&GOLD	3.46 \$	Ch
6	CLEC18021	1878 25/64 HD JOBBER BLK&GOLD 3 FLATS	4.42 \$	Ch
2	CLEC18022	1878 13/32 HD JOBBER BLK&GOLD 3 FLATS	4.59 \$	Ch
2	CLEC18024	1878 7/16 HD JOBBER BLK&GOLD 3 FLATS	5.53 \$	Ch
5	CLEC18025	1878 29/64 HD JOBBER BLK&GOLD 3 FLATS	6.18 \$	Ch
2	CLEC18026	1878 15/32 HD JOBBER BLK&GOLD 3 FLATS	6.40 \$	Ch
4	CLEC18027	1878 31/64 HD JOBBER BLK&GOLD 3 FLATS	6.92 \$	Ch
7	CLEC18030	1878 LET-B HD JOBBER BLK&GOLD	2.21 \$	Ch
7	CLEC18032	1878 LET-D HD JOBBER BLK&GOLD	2.25 \$	Ch
8	CLEC18033	1878 LET-F HD JOBBER BLK&GOLD	2.42 \$	Ch
7	CLEC18034	1878 LET-G HD JOBBER BLK&GOLD	2.45 \$	Ch
7	CLEC18038	1878 LET-K HD JOBBER BLK&GOLD	2.48 \$	Ch
1	CLEC18041	1878 LET-N HD JOBBER BLK&GOLD	2.94 \$	Ch
1	CLEC18042	1878 LET-O HD JOBBER BLK&GOLD	3.04 \$	Ch
1	CLEC18044	1878 LET-Q HD JOBBER BLK&GOLD	3.34 \$	Ch
1	CLEC18045	1878 LET-R HD JOBBER BLK&GOLD	3.86 \$	Ch
1	CLEC18046	1878 LET-S HD JOBBER BLK&GOLD	3.75 \$	Ch
1	CLEC18049	1878 LET-V HD JOBBER BLK&GOLD	4.09 \$	Ch
7	CLEC18055	1878 #2 HD JOBBER BLK&GOLD	1.79 \$	Ch
7	CLEC18056	1878 #3 HD JOBBER BLK&GOLD	1.79 \$	Ch
5	CLEC18061	1878 #8 HD JOBBER BLK&GOLD	1.87 \$	Ch
1	CLEC18068	1878 #15 HD JOBBER BLK&GOLD	1.68 \$	Ch
2	CLEC18071	1878 #18 HD JOBBER BLK&GOLD	1.46 \$	Ch
7	CLEC18072	1878 #19 HD JOBBER BLK&GOLD	1.48 \$	Ch
7	CLEC18076	1878 #23 HD JOBBER BLK&GOLD	1.42 \$	Ch
7	CLEC18080	1878 #27 HD JOBBER BLK&GOLD	1.36 \$	Ch
2	CLEC18082	1878 #29 HD JOBBER BLK&GOLD	1.42 \$	Ch
2	CLEC18083	1878 #30 HD JOBBER BLK&GOLD	1.29 \$	Ch
18	CLEC18096	1878 #43 HD JOBBER BLK&GOLD	1.26 \$	Ch

12	CLEC18104	# 51 HD JOBBER BLK & GOLD	1.36 \$	Ch
12	CLEC19171	1898T 15/64 JOBBER DRILL TiN	3.32 \$	Ch
2	CLEC20057	1894 1/4 TAPER SHK DR #1TS	11.84 \$	Ch
2	CLEC20062	1894 21/64 TAPER SHK DR #1TS	13.13 \$	Ch
2	CLEC20063	1894 11/32 TAPER SHK DR #1TS	13.41 \$	Ch
3	CLEC22745	1899 3/8 GP JOBBER BLKOX	3.65 \$	Ch
6	CLEC22834	1899 3.6MM GP JOBBER BLKOX	0.92 \$	Ch
7	CLEC23471	1896 15/64 HD SCR MACH BLKOX	1.48 \$	Ch
7	CLEC23472	1896 1/4 HD SCR MACH BLKOX	1.53 \$	Ch
4	CLEC41253	3/8 583/570 3/8S	10.55 \$	Ch
		Dormer		
3	DOR47233824	DRILL 5/8 SHANK 1/2 Black & Gold	58.50 \$	Ch
3	DOR003578	DORMER CRB DRILL 7/32	19.76 \$	Ch
8	DOR010106	P02 - HSS Jobber Length Drills 3/32 R10A	1.56 \$	Ch
1	DOR0173961	HSS Extra Lenght Drill 15/64 x 200	17.31 \$	Ch
		Divers		
2	BOSHCBG19T	CONCRETE DRILL BIT 9/16 ST/SK	26.55 \$	Ch
1	EU400-061664	DRILL SDS 1/4 X 6"	2.88 \$	Ch
1	EU400-062064	DRILL SDS 5/16 X 6"	3.24 \$	Ch
2	KAR540669	SERIES 196 3/16" NC SPOT DRILL	19.33 \$	Ch
2	KAR540670	SERIES 196 1/4" NC SPOT DRILL	21.71 \$	Ch
2	KAR540672	SERIES 196 1/2" NC SPOT DRILL	28.95 \$	Ch
2	KAR751259	21/32 118 POINT 1/2 SHANK S&D DRILL GEN PURPOSE	26.20 \$	Ch
1	KAR751497	HSS 3MT TAPER SHANK DRILL 7/8 NO. 0102008750	94.05 \$	Ch
1	KEN1913538	Solid Crabide drill 10 MM C/F B976A10000 GRADE KC7315	95.00 \$	Ch
		Mitsubishi		
1	MIT173315	MZS0240MB VP15TF / 2.4 mm	78.45 \$	Ch
1	MIT176874	MZS0240LB VP15TF / 2.4 mm	90.22 \$	Ch
1	MIT190781	SOLID CARBIDE DRILL MZE0630MA VP15TF / 6.3 mm	60.34 \$	Ch
2	MIT210307	Solid Carbide Drill MZS0230LB / 2.3 mm	93.82 \$	Ch
1	MIT221196	DRILL MZS0640MB GRADE VP15TF / 6.4 mm	88.29 \$	Ch
2	MIT354167	Solid Carbide Drill MWS0270LB GARDE VP15TF / 2.7mm	73.31 \$	Ch
1	MIT370941	SOLID CARBIDE END MILL VCHFRBD1/8N5DR0.03 / 1/8	98.94 \$	Ch
2	MIT373966	DRILL MWE0310SA GRADE VP15TF / 3.1mm	50.49 \$	Ch
1	MIT374299	DRILL SOLID CRB MWE1070SA GRADE VP15TF / 10.7 mm	133.26 \$	Ch
2	MIT388682	SOLID CARBIDE DRILL MWS00250LB / .0250 "	90.22 \$	Ch
2	MIT552593	MMS0300X3DB CARBIDE DRILL DP7020 / 3 mm	74.31 \$	Ch
1	MIT666558	MVS0470X03S060 DP1020 CARBIDE DRILL / 4.7 mm	53.85 \$	Ch
1	MIT669370	MVS0460X08S060 DP1020 CARBIDE DRILL / 4.6mm	125.06 \$	Ch
		Morse		
1	MOR10049	DRILL 1302 - 49/64	58.31 \$	Ch
1	MOR10052	DRILL 1302 - 13/16	58.00 \$	Ch
2	MOR10054	DRILL 1302 - 27/32	4.34 \$	Ch
1	MOR10056	DRILL 1302-7/8	63.44 \$	Ch
10	MOR10554	1/16; Taper Length; HSS; Black Oxide; Made In U.S.A.	4.34 \$	Ch
1	MOR10558	DRILLTAPER LENGHT 1/8	5.72 \$	Ch

12	MOR10560	DRILLTAPER LENGHT 5/32	6.22 \$	Ch
6	MOR10566	DRILL 1314 - 1/4	7.26 \$	Ch
10	MOR10570	TAPER LENGHT DRILL 5/16	9.16 \$	Ch
6	MOR10572	DRILLTAPER LENGHT 11/32	11.05 \$	Ch
2	MOR10575	DRILLTAPER LENGHT 25/64	14.55 \$	Ch
2	MOR10576	DRILLTAPER LENGHT 13/32	13.60 \$	Ch
2	MOR10712	STANDARD TAPER LENGTH DRILL; 15/64 DIAMETER; 4-13/16 FLUTE LENGTH; 6-1/8 OV	14.88 \$	Ch
2	MOR11408	DRILL 1330 - 1/8	1.26 \$	Ch
1	MOR11442	7/32; Jobber Length; High Speed Steel; Black Oxide;	2.21 \$	Ch
1	MOR11454	List No. 1330 - 17/64"; Jobber Length; HSS; Black Oxide; Made In U.S.A.	3.21 \$	Ch
12	MOR11456	DRILL 1332-I	3.34 \$	Ch
3	MOR11476	1332 "V" JL DRL HSS BLK	7.22 \$	Ch
7	MOR11565	1330B JOBBER LEN DRL 1/32	1.24 \$	Ch
11	MOR11677	1332B JOBBER LENGTH DRL W	6.80 \$	Ch
1	MOR11902	1/2 SPOT.DRL 90	30.07 \$	Ch
3	MOR12379	1361 COB PAR JOB 3MM	5.53 \$	Ch
10	MOR12388	List No. 1361 - 3.50mm; Jobber Length; High Perfomance; Cobalt; Made In Fra	6.55 \$	Ch
7	MOR13021	List No. 1333 - 1.35mm; Jobber Length; HSS; Black Oxide;	1.29 \$	Ch
12	MOR13042	1333 JOBBER LEN DRL 2.40MM	1.65 \$	Ch
5	MOR13044	DRILL 1333-2.50MM	1.46 \$	Ch
12	MOR13049	DRILL 1333 - 2.9 MM	1.76 \$	Ch
8	MOR13056	DRILL METRIC HSS JOBBER 3.5MM	1.61 \$	Ch
7	MOR13062	DRILL 1333 - 4.00MM	1.84 \$	Ch
10	MOR13068	DRILL 1333-4.5MM	2.16 \$	Ch
2	MOR13074	DRILL 1333 5MM	2.42 \$	Ch
10	MOR13080	DRILL METRIC HSS JOBBER 5.5MM	2.38 \$	Ch
1	MOR13092	1333 JOBBER LEN DRL 6.50MM	3.68 \$	Ch
10	MOR13104	DRILL METRIC HSS JOBBER 7.5MM	3.87 \$	Ch
11	MOR13110	DRILL 1333 - 8.00 MM	5.39 \$	Ch
3	MOR13116	DRILL 1333-8.5MM	6.86 \$	Ch
9	MOR13122	DRILL 1333 - 9.00 MM	6.39 \$	Ch
11	MOR13128	DRILL METRIC HSS JOBBER 9.5MM	6.09 \$	Ch
5	MOR13134	DRILL 1333 - 10.00 MM	7.66 \$	Ch
7	MOR13135	DRILL METRIC HSS JOBBER 10.5MM	9.08 \$	Ch
4	MOR13137	DRILL METRIC HSS JOBBER 11.5MM	10.55 \$	Ch
1	MOR13138	List No. 1333 - 12.00mm; Jobber Length; HSS; Black Oxide; Made In U.S.A.	11.01 \$	Ch
12	MOR13159	DRILL 2435-51	1.60 \$	Ch
3	MOR13161	DRILL 2435-49	1.60 \$	Ch
19	MOR13163	DRILL 2435-5/64	1.51 \$	Ch
25	MOR13181	DRILL 2435-32	1.84 \$	Ch
12	MOR13197	DRILL 2435-19	2.09 \$	Ch
3	MOR13200	DRILL 2435-17	2.54 \$	Ch
3	MOR13205	DRILL 2435-3/16	3.07 \$	Ch
2	MOR13209	2435 COB S/M DRILL #9	2.78 \$	Ch
12	MOR13210	DRILL 2435-8	2.78 \$	Ch
3	MOR13212	DRILL 2435-13/64	3.53 \$	Ch
7	MOR13214	DRILL 2435-5	3.54 \$	Ch

15	MOR13217	DRILL 2435-7/32	3.32 \$	Ch
6	MOR13224	DRILL 2435-D STUB	4.59 \$	Ch
24	MOR13231	DRILL 2435-J	5.06 \$	Ch
24	MOR13232	DRILL 2435-K	5.06 \$	Ch
12	MOR13234	DRILL 2435-L	6.04 \$	Ch
24	MOR13244	DRILL 2435-11/32	6.84 \$	Ch
12	MOR13247	DRILL 2435-23/64	8.14 \$	Ch
1	MOR13257	DRILL 2435-27/64	10.52 \$	Ch
12	MOR13278	1355 PARA JL DRL #1	4.32 \$	Ch
12	MOR13279	1355 PAR JB DRL 2	4.32 \$	Ch
18	MOR13286	1355 PAR JB DRL 9	3.73 \$	Ch
12	MOR13310	1355 PAR JB DRL 33	2.48 \$	Ch
8	MOR14314	DRILL 1385 - 68	1.42 \$	Ch
22	MOR14501	1385 HVY DUTY JL #11	2.20 \$	Ch
1	MOR14519	List No. 1385 - 1/4-E; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Ox	2.92 \$	Ch
11	MOR14523	1385 HVY DUTY JL 17/64	4.46 \$	Ch
12	MOR14929	DRILL 1398 - 20	1.62 \$	Ch
48	MOR14940	DRILL 1398-11	1.87 \$	Ch
12	MOR14941	DRILL 1398 - 10	1.92 \$	Ch
36	MOR14952	DRILL 1398-1	2.36 \$	Ch
4	MOR14959	DRILL STUB F HD	3.18 \$	Ch
5	MOR14970	Letter M; Screw Machine Length; NAS 907, Type C; High Speed Steel; Black Ox	4.25 \$	Ch
5	MOR14978	Letter R; Screw Machine Length; NAS 907, Type C; High Speed Steel; Black O	4.89 \$	Ch
7	MOR15108	#54; Screw Machine Length; High Speed Steel; Bright	1.31 \$	Ch
4	MOR15214	DRILL STUB 15/31 HSS	8.72 \$	Ch
13	MOR16587	DRILL 1390-5/16	15.55 \$	Ch
51	MOR16607	DRILL 1390-5/32	3.54 \$	Ch
15	MOR16608	DRILL 1390-11/64	4.02 \$	Ch
1	MOR16613	DRILL 1390-1/4-E	7.27 \$	Ch
16	MOR16632	DRILL 1390-19	4.28 \$	Ch
36	MOR16636	DRILL 1390-23	0.91 \$	Ch
16	MOR16644	DRILL 1390-31	3.34 \$	Ch
2	MOR16717	DRILL 1391-5/16	18.88 \$	Ch
10	MOR17124	DRILL 2340-41 REG	1.65 \$	Ch
1	MOR17125	DRILL 2340-40	1.65 \$	Ch
9	MOR17129	DRILL REGULIERE CO 36	1.74 \$	Ch
2	MOR17140	DRILL 2330 - 9/64	2.48 \$	Ch
1	MOR17146	DRILL 2340-5/32 REG	2.67 \$	Ch
12	MOR17155	DRILL 2340 - 15	3.11 \$	Ch
3	MOR17162	DRILL CO REGULIERE 9	3.46 \$	Ch
1	MOR17165	DRILL 1330C - 13/64	3.58 \$	Ch
11	MOR17177	DRILL 2332 - D REG	5.85 \$	Ch
6	MOR17205	DRILL 2332 - W	11.53 \$	Ch
3	MOR17207	DRILL 2330 - 13/62	11.74 \$	Ch
14	MOR17215	DRILL 2330 - 31/64	16.04 \$	Ch
5	MOR17613	2.00mm; Jobber Length; NAS 907, Type J; Cobalt M42; Bright	2.11 \$	Ch
1	MOR18177	8090 SCR MACH HSS 5SM 29PC.	113.44 \$	Ch

6	MOR51038	5374 CARBIDE DRILL 5/64"	9.25 \$	Ch
1	MOR51092	DRILL 5374 - 7/32 CRB	25.67 \$	Ch
2	MOR52128	DRILL 5423 - 7/16 ACCU DRILL	59.55 \$	Ch
1	MOR52132	5423 -1/2"; Straight Flute; Carbide Tipped	76.76 \$	Ch
1	MOR53553	GLASS & TILE DRL 1/4"	30.82 \$	Ch
2	MOR60101	HPC DRILL S/M 1/4	20.95 \$	Ch
1	MOR60154	HPC DRILL S/M 1/2	67.69 \$	Ch
1	MOR60330	1361T COB PAR JOB 10MM TiALN	42.92 \$	Ch
7	MOR60394	DRILL 1362T-40	14.65 \$	Ch
12	MOR60414	DRILL 1362T-30	18.02 \$	Ch
3	MOR80133	1/16; Jobber Length; HSS; Black Oxide; Made In U.S.A.	1.02 \$	Ch
41	MOR80135	3/32; Jobber Length; HSS; Black Oxide	0.93 \$	Ch
36	MOR80138	List No. 330 - 9/64"; Jobber Length; HSS; Black Oxide	1.01 \$	Ch
5	MOR80139	5/32; Jobber Length; HSS; Black Oxide; Made In U.S.A.	1.18 \$	Ch
48	MOR80141	3/16"; Jobber Length; HSS; Black Oxide	1.45 \$	Ch
12	MOR80144	15/64; Jobber Length; HSS; Black Oxide	1.65 \$	Ch
3	MOR80145	1/4-E; Jobber Length; HSS; Black Oxide;	1.81 \$	Ch
4	MOR80154	25/64; Jobber Length; HSS; Black Oxide	4.66 \$	Ch
9	MOR80155	13/32; Jobber Length; HSS; Black Oxide	4.79 \$	Ch
3	MOR80160	31/64; Jobber Length; HSS; Black Oxide	7.73 \$	Ch
11	MOR80174	"A"; Jobber Length; HSS; Black Oxide	2.09 \$	Ch
1	MOR80175	"B"; Jobber Length; HSS; Black Oxide	2.09 \$	Ch
3	MOR80176	"C"; Jobber Length; HSS; Black Oxide	2.09 \$	Ch
11	MOR80180	"G"; Jobber Length; HSS; Black Oxide	2.49 \$	Ch
15	MOR80182	"I"; Jobber Length; HSS; Black Oxide	5.66 \$	Ch
15	MOR80183	"J"; Jobber Length; HSS; Black Oxide	2.71 \$	Ch
8	MOR80185	"L"; Jobber Length; HSS; Black Oxide	2.94 \$	Ch
6	MOR80187	"N"; Jobber Length; HSS; Black Oxide	3.12 \$	Ch
9	MOR80188	"O"; Jobber Length; HSS; Black Oxide	3.12 \$	Ch
12	MOR80189	"P"; Jobber Length; HSS; Black Oxide	3.48 \$	Ch
2	MOR80190	"Q"; Jobber Length; HSS; Black Oxide	3.51 \$	Ch
3	MOR80191	"R"; Jobber Length; HSS; Black Oxide	3.78 \$	Ch
12	MOR80193	"T"; Jobber Length; HSS; Black Oxide	10.62 \$	Ch
1	MOR80195	"V"; Jobber Length; HSS; Black Oxide	4.71 \$	Ch
3	MOR80197	"X"; Jobber Length; HSS; Black Oxide	5.92 \$	Ch
2	MOR80199	"Z"; Jobber Length; HSS; Black Oxide	6.94 \$	Ch
12	MOR80201	#1; Jobber Length; HSS; Black Oxide	1.78 \$	Ch
4	MOR80202	#2; Jobber Length; High Speed Steel; Black Oxide;	1.87 \$	Ch
7	MOR80203	#3; Jobber Length; High Speed Steel; Black Oxide	1.84 \$	Ch
20	MOR80204	#4; Jobber Length; HSS; Black Oxide	1.66 \$	Ch
3	MOR80206	#6; Jobber Length; High Speed Steel; Black Oxide	1.85 \$	Ch
10	MOR80210	#10; Jobber Length; HSS; Black Oxide	1.48 \$	Ch
6	MOR80212	#12; Jobber Length; HSS; Black Oxide	1.38 \$	Ch
5	MOR80213	#13; Jobber Length; High Speed Steel; Black Oxide	1.54 \$	Ch
1	MOR80216	#16; Jobber Length; High Speed Steel; Black Oxide	1.53 \$	Ch
10	MOR80217	#17; Jobber Length; High Speed Steel; Black Oxide	1.54 \$	Ch
3	MOR80223	#23; Jobber Length; High Speed Steel; Black Oxide	1.15 \$	Ch

7	MOR80224	#24; Jobber Length; High Speed Steel; Black Oxide	1.08 \$	Ch
7	MOR80226	#26; Jobber Length; HSS; Black Oxide	1.00 \$	Ch
10	MOR80227	#27; Jobber Length; HSS; Black Oxide	1.00 \$	Ch
7	MOR80229	#29; Jobber Length; HSS; Black Oxide	0.98 \$	Ch
6	MOR80230	#30; Jobber Length; HSS; Black Oxide	0.95 \$	Ch
12	MOR80233	#33; Jobber Length; HSS; Black Oxide	1.00 \$	Ch
36	MOR80241	#41; Jobber Length; HSS; Black Oxide	0.91 \$	Ch
12	MOR80248	#48; Jobber Length; HSS; Black Oxide	0.91 \$	Ch
21	MOR80249	#49; Jobber Length; HSS; Black Oxide	0.91 \$	Ch
5	MOR80257	#57; Jobber Length; HSS; Black Oxide	0.87 \$	Ch
9	MOR80258	#58; Jobber Length; HSS; Black Oxide	0.91 \$	Ch
3	MOR80260	#60; Jobber Length; HSS; Black Oxide	0.93 \$	Ch
10	MOR80301	21/64; Jobber Length; HSS; Bright	3.07 \$	Ch
6	MOR80326	"A"; Jobber Length; HSS; Bright	2.09 \$	Ch
5	MOR80333	"H"; Jobber Length; HSS; Bright	2.44 \$	Ch
5	MOR80446	3/32; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Oxide	1.13 \$	Ch
11	MOR80449	9/64; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Oxide	1.22 \$	Ch
47	MOR80452	3/16; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Oxide	1.49 \$	Ch
22	MOR80453	List No. 385 - 13/64"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Ox	1.75 \$	Ch
107	MOR80455	15/64; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Oxide	2.09 \$	Ch
1	MOR80464	List No. 385 - 3/8"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Oxid	5.52 \$	Ch
1	MOR80590	1/16"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	0.95 \$	Ch
9	MOR80592	3/32"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.09 \$	Ch
5	MOR80593	7/64"; Jobber Length; Heavy Duty; 135 Degree; HSS	1.20 \$	Ch
1	MOR80594	1/8" D; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.24 \$	Ch
9	MOR80596	5/32"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.31 \$	Ch
1	MOR80598	3/16"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.52 \$	Ch
7	MOR80599	13/64"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.64 \$	Ch
4	MOR80600	7/32"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.88 \$	Ch
1	MOR80603	17/64"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	2.38 \$	Ch
9	MOR80606	5/16"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	3.21 \$	Ch
27	MOR80611	25/64"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	4.88 \$	Ch
1	MOR80612	13/32"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	5.13 \$	Ch
5	MOR80613	27/64"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	5.95 \$	Ch
3	MOR80614	7/16"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	6.46 \$	Ch
1	MOR80616	15/32"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	7.81 \$	Ch
1	MOR80617	31/64"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	8.26 \$	Ch
2	MOR80618	1/2"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	8.38 \$	Ch
1	MOR80625	G"; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	2.92 \$	Ch
6	MOR80635	MARXBORE™; #30; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	4.51 \$	Ch
5	MOR80636	Letter R; Jobber Length; Heavy Duty; High Speed Steel; Black & Gold	4.73 \$	Ch
1	MOR80637	Letter S; Jobber Length; Heavy Duty; High Speed Steel; Black & Gold	5.28 \$	Ch
2	MOR80639	List No. 384 - "MARXBORE™; U"; Jobber Length; Heavy Duty; 135 Degree; HSS;	5.85 \$	Ch
2	MOR80654	384 - MARXBORE™; #21; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & G	1.80 \$	Ch
6	MOR80656	#12; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.82 \$	Ch
5	MOR80666	#22; Jobber Length; Heavy Duty; High Speed Steel; Black & Gold;	1.48 \$	Ch
5	MOR80667	#23; Jobber Length; Heavy Duty; High Speed Steel; Black & Gold;	1.48 \$	Ch

2	MOR80669	MARXBORE™; #25; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.48 \$	Ch
8	MOR80685	MARXBORE™; #41; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.27 \$	Ch
8	MOR80687	List No. 384 - MARXBORE™; #43; Jobber Length; Heavy Duty; 135 Degree; HSS;	1.21 \$	Ch
14	MOR80694	#50; Jobber Length; Heavy Duty; 135 Degree; HSS; Black & Gold	1.25 \$	Ch
6	MOR80698	MARXBORE™; #54; Jobber Length; Heavy Duty; 135 Degree; HSS; Black	1.26 \$	Ch
12	MOR80700	#56; Jobber Length; Heavy Duty; 135 Degree; HSS; Black Gold	1.18 \$	Ch
7	MOR80702	MARXBORE™; #58; Jobber Length; Heavy Duty; 135 Degree; HSS; Black	1.26 \$	Ch
1	MOR80726	7/64; Jobber Length; Heavy Duty; Cobalt	1.53 \$	Ch
10	MOR80737	9/32; Jobber Length; Heavy Duty; Cobalt	4.16 \$	Ch
19	MOR80740	21/64; Jobber Length; Heavy Duty; Cobalt	6.21 \$	Ch
14	MOR80742	23/64; Jobber Length; Heavy Duty; Cobalt	8.00 \$	Ch
2	MOR80743	3/8; Jobber Length; Heavy Duty; Cobalt	9.13 \$	Ch
1	MOR80744	25/64; Jobber Length; Heavy Duty; Cobalt	10.47 \$	Ch
3	MOR80748	29/64; Jobber Length; Heavy Duty; Cobalt	13.00 \$	Ch
2	MOR80749	15/32; Jobber Length; Heavy Duty; Cobalt	13.26 \$	Ch
6	MOR80753	#2; Jobber Length; Heavy Duty; Cobalt	3.68 \$	Ch
13	MOR80762	#11; Jobber Length; Heavy Duty; Cobalt	2.69 \$	Ch
12	MOR80786	#35; Jobber Length; Heavy Duty; Cobalt	1.52 \$	Ch
11	MOR80803	#52; Jobber Length; Heavy Duty; Cobalt	1.40 \$	Ch
2	MOR80928	H; Jobber Length; Heavy Duty; Cobalt M42; Bright;	5.15 \$	Ch
3	MOR80936	"P"; Jobber Length; Heavy Duty; Cobalt	6.91 \$	Ch
36	MOR81101	#41; Screw Machine Length; HSS; Bright	1.24 \$	Ch
48	MOR81220	9/64; Screw Machine Length; Heavy Duty; HSS; Black Oxide	1.12 \$	Ch
12	MOR81221	5/32; Screw Machine Length; Heavy Duty; HSS; Black Oxide	1.22 \$	Ch
27	MOR81222	11/64; Screw Machine Length; Heavy Duty; HSS; Black Oxide	1.27 \$	Ch
82	MOR81225	7/32; Screw Machine Length; Heavy Duty; HSS; Black Oxide	1.85 \$	Ch
12	MOR81228	17/64; Screw Machine Length; Heavy Duty; HSS; Black Oxide	2.33 \$	Ch
12	MOR81231	5/16; Screw Machine Length; Heavy Duty; HSS; Black Oxide	2.95 \$	Ch
36	MOR81235	3/8; Screw Machine Length; Heavy Duty; HSS; Black Oxide	4.24 \$	Ch
36	MOR81237	13/32; Screw Machine Length; Heavy Duty; HSS; Black Oxide	4.95 \$	Ch
18	MOR81243	1/2; Screw Machine Length; Heavy Duty; HSS; Black Oxide	7.06 \$	Ch
1	MOR81541	STEP DRILL 1/4-3/4	35.12 \$	Ch
1	MOR82029	7/16; Mag-Drill; 1" Cut Length; High Speed Steel M2;	26.71 \$	Ch
1	MOR82037	15/16; Mag-Drill; 1" Cut Length; High Speed Steel M2;	42.59 \$	Ch
2	MOR82112	Bogdan Accessory; XL Ejector Pin 3 Long;	19.02 \$	Ch
1	MOR82143	1/2; Mechanic Length; 3/8 3-Flat Shank; HSS; Black & Gold	10.11 \$	Ch
2	MOR84236	3/16; Masonary; 6" OAL; Carbide Tipped	3.19 \$	Ch
2	MOR84246	1/2; Masonary; 6" OAL; Carbide Tipped	5.42 \$	Ch
3	MOR85221	12.50mm; Jobber Length; Heavy Duty; High Speed Steel	2.60 \$	Ch
132	MOR85387	3/16; Screw Machine Length; Heavy Duty; HSS; Black Oxide	0.25 \$	Ch
4	MOR85471	314QI - 1/8; Taper Length; HSS; Black Oxide	1.05 \$	Ch
2	MOR85613	33/64; #2 Morse Taper; HSS; Black Oxide	11.07 \$	Ch
6	MOR85954	13/64; Aircraft Ext; 6" OAL; HSS; Black Oxide	4.94 \$	Ch
12	MOR86477	11/64; Screw Machine Length; Heavy Duty; HSS; Black & Gold	1.53 \$	Ch
7	MOR87314	9/32; Jobber Length; Parabolic; Wide Land; Black & Gold	3.47 \$	Ch
3	MOR87619	2.50mm; Jobber Length; Heavy Duty; High Speed Steel; Black & Gold	1.85 \$	Ch
		Catalogue OTI		

2	NAC1464831	7575P SG-ESR PM-HSCO DRILL NACHI	28.36 \$	Ch
1	PTS-AA403059	59/64 Dia. - 10-3/4 OAL - Surface Treated - HSS - Standard Taper SH Drill	65.74 \$	Ch
2	PTS-AA652000	20.00 Dia. -- 10-3/4 OAL -- Surface Treated -- High Speed Steel -- Standard	39.11 \$	Ch
1	PTS-AB50034	17/32 Dia. -- 8 OAL -- Surface Treated -- High Speed Steel -- Standard Tape	13.00 \$	Ch
3	PTS-AB60028	7/16 Cobalt Drill SS TL	19.39 \$	Ch
6	PTS-AC40021B	21/64 Dia. -- 4-5/8 OAL -- Surface Treated -- High Speed Steel -- Standard	2.39 \$	Ch
5	PTS-AC50121B	21 HS BLACK JOB DRILL	1.40 \$	Ch
6	PTS-AC52208	Rapidkut (Letter Size) -- H Dia. -- 4-1/8 OAL -- Surface Treated -- Cobalt	5.52 \$	Ch
5	PTS-AC53024	(Fractional Size) -- 3/8 Dia. -- 5 OAL -- Bright Finish -- High Speed Stee	10.54 \$	Ch
6	PTS-AE51143	43 Dia. -- 1-3/4 OAL -- Bright -- High Speed Steel -- Standard Screw Machin	1.22 \$	Ch
12	PTS-AE61140	40 Dia. -- 1-13/16 OAL -- Surface Treated -- Cobalt -- Heavy Duty Split Poi	1.98 \$	Ch
12	PTS-AE70009	DRILL 9/64 HS RG S/P S/M	1.04 \$	Ch
1	PTS-AK50040	DRILL 5/8 SHANK 1/2 HSS	21.75 \$	Ch
1	PTS-AK54132	1-1/2" HSS - 3/4" Reduced Shank Drill - 118° Standard Point	77.13 \$	Ch
6	PTS-AK55040	5/8 Dia. -- 6 OAL -- Silver and Deming -- High Speed Steel -- Reduced Shank	11.83 \$	Ch
2	PTS-AK55042	21/32 Dia-6" OAL-Silver & Deming-HS-Reduced Shank Drill	12.80 \$	Ch
2	PTS-AK55044	11/16 Dia. -- 6 OAL -- Silver and Deming -- High Speed Steel -- Reduced Sh	13.34 \$	Ch
1	PTS-AL502032	1/2 Dia-12 OAL-Surface Treated-HSS-XL Taper SH Drill	45.02 \$	Ch
9	PTS-AM50012	3/16 Dia. -- 8 OAL -- Bright Finish -- High Speed Steel -- Extra Long Strai	9.75 \$	Ch
4	PTS-AM50024	3/8 Dia. -- 8 OAL -- Bright Finish -- High Speed Steel -- Extra Long Strai	13.08 \$	Ch
1	PTS-AM51032	1/2 Dia. -- 10 OAL -- Bright Finish -- High Speed Steel -- Extra Long Strai	19.00 \$	Ch
1	PTS-AT50024	3/8 Dia. -- 6 OAL -- Surface Treated -- High Speed Steel -- Aircraft Extens	11.78 \$	Ch
1	PTS-AT50125	(Wire Gage Size) -- 25 Dia. -- 6 OAL -- Surface Treated -- High Speed Steel	2.40 \$	Ch
2	PTS-BA52132A0108	SPADE DRILL TIALN 1-1/4 Acme TA	50.00 \$	Ch
2	PTS-BA52450H0021	Spade Drill TIALN 21/32 Acme TA	50.00 \$	Ch
2	PTS-PT2458107	DRILL # 7 X 6" AVIATION	10.00 \$	Ch
		Sowa		
2	SOW116-987	9/16" 12" O.A.L. EXTRA LENGTH HSS DRILLS	71.74 \$	Ch
1	SOW162-208	19/32" SERIES #0 TIALN COATED HSCO (T15) SPADE DRILL BLADES	34.94 \$	Ch
2	SOW162-214	SPADE DRILL #0 X 11/16 HSCO T15	38.96 \$	Ch
3	SOW162-228	SPADE DRILL #1 X 25/32 T-15 TIALN	35.72 \$	Ch
1	SOW162-290	1-5/8" SERIES #3 TIALN COATED HSCO (T15) SPADE DRILL BLADES	65.44 \$	Ch
1	SOW162-805	SERIES #0 3/4" SHANK SHORT LENGTH STRAIGHT SHANK STRAIGHT FLUTE SPADE DF	164.71 \$	Ch
		YG		
1	YGP15202	SPADE DRILL HOLDERS STRAIGHT SHANK STRAIGHT FLUTE STANDARD LENGTH	180.48 \$	Ch
1	YGS11013	16.00 MM DRILL PREMIUM COBALT M48	18.60 \$	Ch
2	YGS13005	SPADE DRILL CO 14 MM	45.98 \$	Ch